



fixing brackets

flat plate brackets



ninety-degree angle brackets



fixing brackets

slotted brackets



base plates & beam clamps

base plates




beam clamps




cable & pipe clamps



Q Clamp



CS 1000 Channel




Ladderack Cross Rung

Ref No.	Length
Q14	14mm
Q16	16mm
Q20	20mm
Q26	26mm
Q32	32mm
Q40	40mm
Q46	46mm
Q52	52mm
Q58	58mm
Q66	66mm
Q70	70mm
Q78	78mm


two piece clamps



Product Code	Diameter	Screw Size	Thickness	Design Load
CS 2026	11.3 - 13.5mm	M6 x 20 Gutter Bolt & Nut	1.5mm	180kg
CS 2027	13 - 17mm			
CS 2028	16.5 - 19.5mm			
CS 1111	19 - 23mm			
CS 2030	21 - 30mm			
CS 1112	24 - 29mm	M6 x 25 Gutter Bolt & Nut	2.0mm	270kg
CS 1113	32 - 36mm			
CS 1114	38 - 44mm			
CS 1115	43 - 57mm	M8 x 35 HSS & Nut	2.5mm	360kg
CS 2038	47 - 57mm			
CS 1117	54 - 70mm			
CS 2043	62 - 75mm			
CS 1118	71 - 85mm			
CS 1119	87 - 95mm			
CS 1120	99 - 110mm	M10 x 50 HSS & Nut	2.9mm	450kg
CS 1121	110 - 122mm			
CS 1122	116 - 140mm			
CS 1123	135 - 145mm			
CS 1124	155 - 180mm	M10 x 60 HSS & Nut	3.3mm	450kg
CS 1125	175 - 206mm			
CS 1126	188 - 228mm			
CS 1127	235 - 270mm			
CS 1129	260 - 285mm			



Trapeze Hanger




Double Trapeze Hanger

pipe hangers

cs 75 pipe hanger

Product Code	Length A	Length B
CS 75/15	21mm	65mm
CS 75/20	27mm	70mm
CS 75/25	34mm	75mm
CS 75/30	42mm	80mm
CS 75/40	48mm	90mm
CS 75/50	60mm	100mm
CS 75/60	76mm	120mm
CS 75/80	89mm	160mm
CS 75/100	114mm	200mm
CS 75/125	140mm	250mm
CS 75/150	166mm	300mm
CS 75/200	219mm	400mm



Suitable for hanging:
Plumbing, Drainage, Sprinkler
Pipes and more

fasteners

clamping nuts

Strength of CS 1 M12 Nuts used in CS 1000

- Resistance to slip - 350kg per bolt
- Pull-out strength - 700kg safe tension load per bolt
- Safety Factor of 2

Product Code	Metric Size
CS 1	M6
CS 1	M8
CS 1	M10
CS 1	M12



Product Code	Metric Size
CS 4	M6
CS 4	M8
CS 4	M10
CS 4	M12

screws, nuts & washers

Standard Stock Sizes
M6
M8
M10
M12
M16
M20



Rawl Bolt



Drop In Anchor



Fully Threaded Rods



Coupler Nut

